VDB Computers B.V.
Vlakdissel 9
1648 HJ De Goorn
info@vdbcomputers.nl
0229-544704

UniFi AC M Dual-Band Antenna UMA-D for UAP-AC-M

Artikelnummer: UMA-D







€114,00

Incl. 21% BTW

The UniFi Antenna, model UMA-D, is an optional mesh antenna designed to work with the UniFi AC Mesh AP, model UAP-AC-M. With dual-band support, the UM…

The UniFi Antenna, model UMA-D, is an optional mesh antenna designed to work with the UniFi AC Mesh AP, model UAP-AC-M. With dual-band support, the UMA-D expands range coverage and provides customized pattern shaping.

Antenna Features

Optimized for 802.11ac, the UMA-D offers a high efficiency directional radiation pattern with dual polarity.

Weather-Resistant Enclosure

Encased in UV-stabilized plastic, the UMA-D can be used indoors or outdoors.

Versatile Mounting

The UMA-D has a ball joint mount designed for precise aiming and can be mounted on a pole or wall.

Compatibility

The UMA-D is a connectorized antenna that is compatible with the UAP-AC-M.

Specifications

Dimensions: 201.3 x 128.0 x 32.5 mm (7.93 x 5.04 x 1.28")

Weight:

- (with Mount): 480 g (16.93 oz)

- (without Mount): 400 g (14.11 oz)

Enclosure: Outdoor UV Stabilized Plastic

RF Connections: (2) RP-SMA

Supported Frequency Range: 2.4 - 2.5 GHz, 5.1 - 5.9 GHz

HPOL Beamwidth:

- 2.4 GHz: 90 degrees

- 5 GHz: 45 degrees

VPOL Beamwidth:

- 2.4 GHz: 90 degrees

- 5 GHz: 45 degrees

Elevation Beamwidth:

- 90 degrees

- 45 degrees

Maximum VSWR: 2.5:1

Polarization: Dual-Linear

Cross-Pol Isolation:

- 2.4 GHz: 25 dB

- 5 GHz: 30 dB

Antenna Gain:

- 2.4 GHz: 10 dBi

- 5 GHz: 15 dBi

Mounting: Wall/Pole (Kits Included)

Package Contents

UMA-D Antenna, Ball Join Mount, Lock Ringa, Screws (4), Screw Anchors (4), Hex Bolt, Wall Mount Plate, Metal Strap, RF Cables (2), Quick Start Guide.